

# KENTUCKY FAIR PLAN

## APPLICATION FOR FARM FIRE

### PRODUCER INSTRUCTIONS INCOMPLETE APPLICATIONS WILL BE DELAYED AND/OR RETURNED BY THE FAIR PLAN

#### IMPORTANT

Returned applications create an unnecessary **expense for you and us**, and delays needed insurance coverage for your Insured. Please refer to the FAIR Plan Manual for help with completing this application.

#### ELIGIBILITY REQUIREMENTS All applications subject to prior underwriting approval.

#### PRODUCERS DO NOT HAVE BINDING AUTHORITY.

- PROPERTIES MUST MEET UNDERWRITING REQUIREMENTS. REFER TO MANUALS FOR THESE GUIDELINES.
- FULLY COMPLETED AND SIGNED APPLICATION IS REQUIRED.
- PHOTOS OF FRONT AND BACK AND OF ALL OUTBUILDINGS ARE REQUIRED.
- THE FULL INSTALLMENT PREMIUM IS REQUIRED.
- FAIR PLAN DOES NOT DECLINE PROPERTIES DUE TO LOSSES CAUSED BY ACTS OF NATURE, HOWEVER; WE RESERVE THE RIGHT TO REQUIRE HIGHER DEDUCTIBLES DEPENDING ON THE FREQUENCY OF LOSS.
- CONDITION CHARGES WILL BE CHARGED IF APPLICABLE; REFER TO THE MANUAL FOR THESE CHARGES.
- WE DO NOT OVERINSURE. PLEASE REFER TO THE MANUAL FOR MAXIMUM VALUE PER SQUARE FOOTAGE.
- THE MINIMUM ANNUAL PREMIUM IS \$100 AND A MINIMUM RETAINED PREMIUM OF \$100 IS DEEMED FULLY EARNED WHEN ANY COVERAGE IS PROVIDED BY THE ISSUANCE OF A POLICY.
- MAKE CHECKS PAYABLE TO KENTUCKY FAIR PLAN.
- APPLICATION MUST BE LEGIBLE – PLEASE PRINT OR TYPE.
- THE ACTIONS OF A PRODUCER UNDER THIS AND ALL OTHER SECTIONS OF THIS PLAN ARE DEEMED TO BE THE ACTIONS OF THE APPLICANT AND ARE NOT THE ACTIONS OF THE PLAN. INsofar AS THE PRODUCER IS ACTING AS AN AGENT OF ANY PARTY IN CONNECTION WITH ACTIONS UNDER THIS OR ANY OTHER SECTION OF THE PLAN, THE PRODUCER SHALL BE DEEMED TO BE THE AGENT OF THE APPLICANT AND NOT THE AGENT OF THE PLAN.

THE PRODUCER MAY BE CONTACTED BY TELEPHONE OR E-MAIL ON APPLICATIONS THAT ARE NOT ACCEPTABLE AS WRITTEN. PLEASE RESPOND IMMEDIATELY OR COVERAGE MAY BE DELAYED AND/OR THE APPLICATION RETURNED OR REJECTED.





ATTACH PHOTOS

## KENTUCKY FAIR PLAN - FARM FIRE DWELLING SURVEY

1. ROOF TYPE:	<input type="checkbox"/> COMPOSITION	<input type="checkbox"/> WOOD SHINGLE	<input type="checkbox"/> METAL	<input type="checkbox"/> SLATE	<input type="checkbox"/> OTHER: _____
2. CONDITION OF ROOF:	<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> GOOD	<input type="checkbox"/> FAIR / POOR	Year of Update: _____	
3. ELECTRICAL SERVICE:	<input type="checkbox"/> 2 WIRE	<input type="checkbox"/> 3 WIRE	<input type="checkbox"/> FUSES	Year of Update: _____	
4. HEATING:	<input type="checkbox"/> CENTRAL HEAT	<input type="checkbox"/> PROPANE	<input type="checkbox"/> OIL	<input type="checkbox"/> SPACE HEATER	<input type="checkbox"/> WOODSTOVE *
IS WOODSTOVE OR SPACE HEATER THERMOSTATICALLY CONTROLLED?	<input type="checkbox"/> YES	<input type="checkbox"/> NO	Year of Update: _____ * Please complete Woodstove Questionnaire on page 6		
5. FOUNDATION:	<input type="checkbox"/> ENCLOSED	<input type="checkbox"/> OPEN			
6. MAINTENANCE / HOUSEKEEPING:	<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> GOOD	<input type="checkbox"/> FAIR / POOR		

## KENTUCKY FAIR PLAN - MOBILE HOME SURVEY

1. MAKE	2. MODEL	3. AGE	4. LENGTH	5. WIDTH
6. PURCHASE PRICE	7. MARKET VALUE	8. TYPE HEATING UNIT		
9. ELECTRICAL SERVICE	<input type="checkbox"/> 2 WIRE	<input type="checkbox"/> 3 WIRE	<input type="checkbox"/> CIRCUIT BREAKER	10. NUMBER OF TIE DOWNS:
11. TIE DOWNS	<input type="checkbox"/> FACTORY INSTALLED	<input type="checkbox"/> OVER THE ROOF	<input type="checkbox"/> ON THE FRAME	
12. TIE DOWNS	<input type="checkbox"/> STRAPS	<input type="checkbox"/> CABLES	13. TIE DOWNS SECURED TO	<input type="checkbox"/> TURNBUCKLE <input type="checkbox"/> TENSION HEADS
14. TIE DOWNS ANCHORED IN	<input type="checkbox"/> CONCRETE	<input type="checkbox"/> EARTH	<input type="checkbox"/> SANDY SOIL	15. SKIRTED <input type="checkbox"/> YES <input type="checkbox"/> NO

## KENTUCKY FAIR PLAN - BARN SURVEY

1. CONDITION:	<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> GOOD	<input type="checkbox"/> FAIR / POOR
2. FULLY ENCLOSED WITH NO OPEN SHEDS ATTACHED:	<input type="checkbox"/> YES	<input type="checkbox"/> NO	
3. HAY OR STRAW STORAGE:	<input type="checkbox"/> YES	<input type="checkbox"/> NO	
4. FIRING OF TOBACCO:	<input type="checkbox"/> YES	<input type="checkbox"/> NO	

### FIRE PROTECTION AND EXPOSURE

NAME OF RESPONDING FIRE DEPARTMENT	DISTANCE TO FIRE DEPT <b>MILES</b>	DISTANCE TO FIRE HYDRANT <b>FEET</b>
PROPERTY OUTSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO	PROPERTY INACCESSIBLE FOR FIRE EQUIPMENT? <input type="checkbox"/> YES <input type="checkbox"/> NO	

### REMARKS

## KENTUCKY FAIR PLAN WOODSTOVE QUESTIONNAIRE


### WOODSTOVE

<b>STOVE TYPE</b>	<b>THERMOSTATICALLY CONTROLLED</b>	<b>CONSTRUCTION</b>	<b>USE</b>	<b>FUEL TYPE</b>	<b>INSTALLATION</b>	<b>INSPECTED BY</b>	<b>UL TESTING LABEL</b>
<input type="checkbox"/> FREE STANDING	<input type="checkbox"/> YES	<input type="checkbox"/> SHEET METAL	<input type="checkbox"/> PRIMARY	<input type="checkbox"/> WOOD	<input type="checkbox"/> CONTRACTOR	<input type="checkbox"/> FIRE DEPARTMENT	<input type="checkbox"/> YES
<input type="checkbox"/> FIREPLACE INSERT	<input type="checkbox"/> NO	<input type="checkbox"/> CAST IRON	<input type="checkbox"/> SUPPLEMENTAL	<input type="checkbox"/> COAL	<input type="checkbox"/> INSURED	<input type="checkbox"/> CITY INSPECTOR	<input type="checkbox"/> NO
<input type="checkbox"/> FURNACE ADD-ON		<input type="checkbox"/> OTHER	<input type="checkbox"/> FURNACE ADD-ON	<input type="checkbox"/> PELLET	<input type="checkbox"/> OTHER	<input type="checkbox"/> NONE	
						DATE OF INSTALLATION: _____	
							YES    NO
SMOKE ALARM IN ROOM?							<input type="checkbox"/> <input type="checkbox"/>
FIRE EXTINGUISHER IN ROOM?							<input type="checkbox"/> <input type="checkbox"/>
HEAT SENSOR IN ROOM?							<input type="checkbox"/> <input type="checkbox"/>
FIRE ALARM SYSTEM IN HOUSE?							<input type="checkbox"/> <input type="checkbox"/>
PROTECTIVE MATERIAL ON WALLS?			Material: _____				<input type="checkbox"/> <input type="checkbox"/>
IF "YES", ONE INCH AIR GAP BETWEEN SHIELD AND WALL?							<input type="checkbox"/> <input type="checkbox"/>
PROTECTIVE MATERIAL UNDER UNIT?			Material: _____				<input type="checkbox"/> <input type="checkbox"/>
ASHES REMOVED IN A METAL CONTAINER? (If "NO", what is used?): _____							<input type="checkbox"/> <input type="checkbox"/>

### PIPE ASSEMBLY

	YES	NO
CRIMPED END DOWN TO CONTROL CREOSOTE?	<input type="checkbox"/>	<input type="checkbox"/>
SECURED WITH SHEET METAL SCREWS?	<input type="checkbox"/>	<input type="checkbox"/>
HANGERS IF HORIZONTAL RUN OVER FIVE (5) FEET?	<input type="checkbox"/>	<input type="checkbox"/>
MINIMUM 1/4 INCH RISE PER LINEAR FOOT OF HORIZONTAL RUN?	<input type="checkbox"/>	<input type="checkbox"/>
WALL PASS THROUGH THIMBLE COLLAR OR OPENING AT LEAST 12 INCHES LARGER DIAMETER THAN STOVE PIPE?	<input type="checkbox"/>	<input type="checkbox"/>
NO MORE THAN TWO (2) BENDS?	<input type="checkbox"/>	<input type="checkbox"/>
DOES NOT PASS THROUGH CONCEALED SPACES (e.g., closets, attics, etc.)?	<input type="checkbox"/>	<input type="checkbox"/>

### MEASUREMENTS - Enter measurements in inches corresponding to the diagram below

	<p><b>See Diagram (Minimum in parentheses - in inches unless otherwise noted)</b></p> <p>1. _____ TOP OF PIPE TO CEILING (18")</p> <p>2. _____ REAR OF UNIT TO WALL (36" - NO HEAT SHIELD, 18" WITH HEAT SHIELD AND 1" AIR GAP)</p> <p>3. _____ SIDE OF UNIT TO CLOSEST WALL (36" - NO HEAT SHIELD, 18" WITH HEAT SHIELD AND 1" AIR GAP)</p> <p>4. _____ BOTTOM OF UNIT TO FLOOR (4")</p> <p>5. _____ FRONT OF UNIT TO END OF FLOOR PROTECTION (18")</p> <p>6. _____ SIDE OF UNIT TO END OF FLOOR PROTECTION (12")</p> <p>7. _____ LENGTH OF PIPE HORIZONTAL RUN (HANGERS IF OVER 5', AND 1/4" UPSLOPE FOR EVERY LINEAR FOOT)</p>
--	---

### CHIMNEY

<b>CHIMNEY</b>	<input type="checkbox"/> BRICK	<input type="checkbox"/> STONE	<input type="checkbox"/> CEMENT BLOCK	<input type="checkbox"/> METAL TRIPLE WALL
<b>FOR MASONRY CHIMNEYS</b>				
CLAY LINER	<input type="checkbox"/> YES	<input type="checkbox"/> NO	FREE OF CRACKS AND CRUMBLING	<input type="checkbox"/> YES <input type="checkbox"/> NO
BUILT FROM GROUND UP	<input type="checkbox"/> YES	<input type="checkbox"/> NO	SEPARATE LINERS FOR OTHER APPLIANCES	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>FOR ALL CHIMNEYS</b>				
PIPE AND CHIMNEY CLEANED ANNUALLY?	<input type="checkbox"/> YES	<input type="checkbox"/> NO	IF "YES", BY WHOM?	<input type="checkbox"/> SERVICE <input type="checkbox"/> INSURED

### REMARKS